# Baller-Gerold syndrome

Baller-Gerold syndrome is a rare condition characterized by the premature fusion of certain skull bones (craniosynostosis) and abnormalities of bones in the arms and hands.

People with Baller-Gerold syndrome have prematurely fused skull bones, most often along the coronal suture, the growth line that goes over the head from ear to ear. Other sutures of the skull may be fused as well. These changes result in an abnormally shaped head, a prominent forehead, and bulging eyes with shallow eye sockets (ocular proptosis). Other distinctive facial features can include widely spaced eyes (hypertelorism), a small mouth, and a saddle-shaped or underdeveloped nose.

Bone abnormalities in the hands include missing fingers (oligodactyly) and malformed or absent thumbs. Partial or complete absence of bones in the forearm is also common. Together, these hand and arm abnormalities are called radial ray malformations.

People with Baller-Gerold syndrome may have a variety of additional signs and symptoms including slow growth beginning in infancy, small stature, and malformed or missing kneecaps (patellae). A skin rash often appears on the arms and legs a few months after birth. This rash spreads over time, causing patchy changes in skin coloring, areas of thinning skin (atrophy), and small clusters of blood vessels just under the skin (telangiectases). These chronic skin problems are collectively known as poikiloderma.

The varied signs and symptoms of Baller-Gerold syndrome overlap with features of other disorders, namely Rothmund-Thomson syndrome and RAPADILINO syndrome. These syndromes are also characterized by radial ray defects, skeletal abnormalities, and slow growth. All of these conditions can be caused by mutations in the same gene. Based on these similarities, researchers are investigating whether Baller-Gerold syndrome, Rothmund-Thomson syndrome, and RAPADILINO syndrome are separate disorders or part of a single syndrome with overlapping signs and symptoms.

# Frequency

The prevalence of Baller-Gerold syndrome is unknown, but this rare condition probably affects fewer than 1 per million people. Fewer than 40 cases have been reported in the medical literature.

# **Genetic Changes**

Mutations in the *RECQL4* gene cause some cases of Baller-Gerold syndrome. This gene provides instructions for making one member of a protein family called RecQ

helicases. Helicases are enzymes that bind to DNA and temporarily unwind the two spiral strands (double helix) of the DNA molecule. This unwinding is necessary for copying (replicating) DNA in preparation for cell division, and for repairing damaged DNA. The RECQL4 protein helps stabilize genetic information in the body's cells and plays a role in replicating and repairing DNA.

Mutations in the *RECQL4* gene prevent cells from producing any RECQL4 protein or change the way the protein is pieced together, which disrupts its usual function. A shortage of this protein may prevent normal DNA replication and repair, causing widespread damage to a person's genetic information over time. It is unclear how a loss of this protein's activity leads to the signs and symptoms of Baller-Gerold syndrome.

This condition has been associated with prenatal (before birth) exposure to a drug called sodium valproate. This medication is used to treat epilepsy and certain psychiatric disorders. Some infants whose mothers took sodium valproate during pregnancy were born with the characteristic features of Baller-Gerold syndrome, such as an unusual skull shape, distinctive facial features, and abnormalities of the arms and hands. However, it is unclear if exposure to the medication caused the condition.

#### Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

#### Other Names for This Condition

- BGS
- craniosynostosis-radial aplasia syndrome
- craniosynostosis with radial defects

## Diagnosis & Management

# **Genetic Testing**

 Genetic Testing Registry: Baller-Gerold syndrome https://www.ncbi.nlm.nih.gov/gtr/conditions/C0265308/

# Other Diagnosis and Management Resources

- GeneReview: Baller-Gerold Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1204
- MedlinePlus Encyclopedia: Craniosynostosis https://medlineplus.gov/ency/article/001590.htm
- MedlinePlus Encyclopedia: Skull of a Newborn (image) https://medlineplus.gov/ency/imagepages/1127.htm

## General Information from MedlinePlus

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

### **Additional Information & Resources**

#### MedlinePlus

- Encyclopedia: Craniosynostosis https://medlineplus.gov/ency/article/001590.htm
- Encyclopedia: Skull of a Newborn (image)
  https://medlineplus.gov/ency/imagepages/1127.htm
- Health Topic: Craniofacial Abnormalities https://medlineplus.gov/craniofacialabnormalities.html
- Health Topic: Hand Injuries and Disorders https://medlineplus.gov/handinjuriesanddisorders.html

### Genetic and Rare Diseases Information Center

 Baller-Gerold syndrome https://rarediseases.info.nih.gov/diseases/1602/baller-gerold-syndrome

### **Educational Resources**

- Disease InfoSearch: Craniosynostosis Radial Aplasia Syndrome http://www.diseaseinfosearch.org/Craniosynostosis+Radial+Aplasia +Syndrome/1995
- MalaCards: baller-gerold syndrome http://www.malacards.org/card/baller\_gerold\_syndrome
- National Institute for Neurological Disorders and Stroke: Craniosynostosis Information Page https://www.ninds.nih.gov/Disorders/All-Disorders/Craniosynostosis-Information-Page
- Orphanet: Baller-Gerold syndrome http://www.orpha.net/consor/cgi-bin/OC Exp.php?Lng=EN&Expert=1225

# Patient Support and Advocacy Resources

- AmeriFace http://www.ameriface.org/
- Children's Craniofacial Association http://www.ccakids.com/
- National Foundation for Ectodermal Dysplasias https://www.nfed.org/
- National Organization for Rare Disorders https://rarediseases.org/rare-diseases/baller-gerold-syndrome/
- Resource List from the University of Kansas Medical Center http://www.kumc.edu/gec/support/craniofa.html

#### GeneReviews

 Baller-Gerold Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1204

### Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28baller-gerold+syndrome %5BTIAB%5D%29+OR+%28craniosynostosis-radial+aplasia+syndrome%5BTIAB %5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last +3600+days%22%5Bdp%5D

# **OMIM**

 BALLER-GEROLD SYNDROME http://omim.org/entry/218600

# **Sources for This Summary**

- Anyane-Yeboa K, Gunning L, Bloom AD. Baller-Gerold syndrome craniosynostosis-radial aplasia syndrome. Clin Genet. 1980 Feb;17(2):161-6.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/7363501
- Feingold M, Sklower SL, Willner JP, Desnick RH, Cohen MM. Craniosynostosis-radial aplasia: Baller-Gerold syndrome. Am J Dis Child. 1979 Dec;133(12):1279-80.
   Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/517480
- GeneReview: Baller-Gerold Syndrome https://www.ncbi.nlm.nih.gov/books/NBK1204
- Santos de Oliveira R, Lajeunie E, Arnaud E, Renier D. Fetal exposure to sodium valproate associated with Baller-Gerold syndrome: case report and review of the literature. Childs Nerv Syst. 2006 Jan;22(1):90-4. Epub 2005 Mar 23.
  Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15789214

## Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/baller-gerold-syndrome

Reviewed: August 2013 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services